



(The execution on the picture can be else than this standard specification)

**CAPACITY / MASS:**

King Pin Weight:	17.5 ton
Axle weight:	27.0 ton
Gross Trailer Weight:	44,5 ton
Dead weight from	6,9 ton

**STANDARD EQUIPMENT**

- D-TEC steering system with 1<sup>st</sup> and 3<sup>rd</sup> axle steering
- 1<sup>st</sup> axle lift-axle manual actuator
- Tank diameter 2 m, material stainless steel 304 and capacity 28,5 m<sup>3</sup>
- Axle assembly and support legs are stellated, telescopic and sprayed in RAL 7016.
- Manhole cover on upper side
- Axles 9 ton
- Axle inter distance 1.810 / 1.810 mm
- Tyres size 385/65 R22.5
- 6 semi-circle artificial mudguards
- Fifth wheel height 1.150 mm
- 2 x stainless steel hose storage, left 5 m and right 5 m
- 2 support legs with locking pin, trailer can only be disconnected empty
- Stairs half-way along left side
- Pneumatic valves with exception of hose connection
- Hydraulic system 80-100 l/min, without quick coupling
- Air suspension with hoisting / lowering vents
- Rotary lobe pump 6 m<sup>3</sup>/min Borger FL 1036
- Aeration and ventilation via ball, valve and line with a cap
- Over-pressure vent and under-pressure vent
- Freefall, rinse and pump facility are standard on pump installation
- Air connection to hose connection for blowing out / cleaning connection hose
- 2 Pieces 5-chamber rear lights



**D-TEC**

# FV2006-20 STEERABLE TANKTRAILER





**D-TEC**

## **FV2006-20 STEERABLE TANKTRAILER**

### **OPTIONS:**

- Extra manhole on rear side
- Different capacity 30 m<sup>3</sup>
- Wash bulkhead half-way in tank
- Scavenging conduit 6" with 2 outlets of 3" and a pneumatic valve
- Toolbox
- Tank in stainless steel 316
- 100-120 l/min hydraulic motor OMT 315
- Andock funnel top rear with pneumatic 8" valve
- Extra hose connector left to the side of the pump
- Freefall 8" incl. 8" air cylinder for rinsing during emptying
- Central lubrication system Lincoln 2-grease
- Colour to be decided by customer (RAL colour)
- Advertising/painting according to customers execution



**D-TEC**

## FV2006-20 STEERABLE TANKTRAILER



Datasheet FV2006-20 - **Steerable Manure Tanktrailer** version 1.0

[www.d-tec.nl](http://www.d-tec.nl) - [info@d-tec.nl](mailto:info@d-tec.nl)

Tel. +31 488 410864